

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"10748723"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 17:09
S1	3	"20040224710" and (email or e-mail or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/03 21:30
S2	175	@ay<="2002" and (display \$3 or show\$3 or present\$3 or provid\$3) with (text or chat or message) with (indicia or symbol or representative or icon) near3 (voice or audio or audible) same (screen or display or window or box)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/03 21:44
S3	3	@ay<="2002" and (display \$3 or show\$3 or present\$3 or provid\$3) with (text or chat or message) with (indicia or symbol or representative or icon) near3 (voice or audio or audible) same ("same" or single) near3 (screen or display or window or box)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/03 21:44
S4	3	@ay<="2002" and (display \$3 or show\$3 or present\$3 or provid\$3) with (text or chat or message) with (indicia or symbol or representative or icon) near3 (voice or audio or audible) same ("same" or single) near3 (screen or display or window or box or thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/03 21:46

S5	3	@ay<="2002" and (display \$3 or show\$3 or present\$3 or provid\$3) with (text or chat or message) with (indicia or symbol or representative or icon) near3 (voice or audio or audible) same ("same" or single) near3 (screen or display or window or box or thread or interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/03 21:47
S6	136	@ay<="2002" and (display \$3 or show\$3 or present\$3 or provid\$3) with (text or chat or message) with (indicia or symbol or representative or icon) near3 (voice or audio or audible) with (screen or display or window or box or thread or interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/03 21:47
S7	19	@ay<="2002" and (display \$3 or show\$3 or present\$3 or provid\$3) with (text or chat or message) with (indicia or symbol or representative or icon) near3 (voice or audio or audible) same (single or one or "same") near3 (screen or display or window or box or thread or interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:14
S8	2	"20030149774" and (email or e-mail or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:09
S9	1	"7072941".pn. and (email or e-mail or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:11
S10	1	"7111044".pn. and (email or e-mail or mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:12

S11	36	@ay<="2002" and (display\$3 or show\$3 or present\$3 or provid\$3) with (text or chat or message) with (indicia or symbol or representative or icon or indicator) near3 (voice or audio or audible) same (single or one or "same") near3 (screen or display or window or box or thread or interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:15
S12	24	@ad<="20020701" and (display\$3 or show\$3 or present\$3 or provid\$3) with (text or chat or message) with (indicia or symbol or representative or icon or indicator) near3 (voice or audio or audible) same (single or one or "same") near3 (screen or display or window or box or thread or interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:23
S13	193	@ad<="20020701" and (display\$3 or show\$3 or present\$3 or provid\$3) near3 (text or chat or message) with (indicia or symbol or representative or icon or indicator) near3 (voice or audio or audible) same (screen or display or window or box or thread or interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:26
S14	11	@ad<="20020701" and (display\$3 or show\$3 or present\$3 or provid\$3) near3 (text or chat or message) with (indicia or symbol or representative or icon or indicator) near3 (voice or audio or audible) same ("same" or single or one) near2 (screen or display or window or box or thread or interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:24

S15	163	@ad<="20020701" and (display\$3 or show\$3 or present\$3 or provid\$3) near3 (text or chat or message) with (indicia or symbol or representative or icon or indicator) near3 (voice or audio or audible) with (screen or display or window or box or thread or interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:26
S16	0	@ad<="20020701" and (display\$3 or show\$3 or present\$3 or provid\$3) near3 (text or chat or message) with (indicia or symbol or representative or icon or indicator) near3 (voice or audio or audible) with (one or single or "same") adj (screen or display or window or box or thread or interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:26
S17	0	@ad<="20020701" and (display\$3 or show\$3 or present\$3 or provid\$3) near3 (text or chat or message) with (indicia or symbol or representative or icon or indicator) near3 (voice or audio or audible) same (one or single or "same") adj (screen or display or window or box or thread or interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:27
S18	12	@ad<="20020701" and (show\$3 or present\$3 or provid\$3) near3 (text or chat or message) with (indicia or symbol or representative or icon or indicator) near3 (voice or audio or audible) with (screen or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:30
S19	4	@ad<="20020701" and (show\$3 or present\$3 or provid\$3) with (text or chat or message) with (voice or audio or audible) adj (indicia or symbol or representative or icon or indicator) with (screen or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:30

S20	39	@ad<="20020701" and (show\$3 or present\$3 or provid\$3 or display\$3) with (text or chat or message) with (voice or audio or audible) adj (indicia or symbol or representative or icon or indicator) with (screen or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:32
S21	0	@ad<="20020701" and (show\$3 or present\$3 or provid\$3 or display\$3) with (text or chat or message) with (voice or audio or audible) adj (indicia or symbol or representative or icon or indicator) with (one or single or "same") near3 (screen or display or thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:31
S22	0	@ad<="20020701" and (show\$3 or present\$3 or provid\$3 or display\$3) with (text or chat or message) with (voice or audio or audible) adj (indicia or symbol or representative or icon or indicator) same (one or single or "same") near3 (screen or display or thread)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:31
S23	0	@ad<="20020701" and (show\$3 or present\$3 or provid\$3 or display\$3) with (text or chat or message) with (voice or audio or audible) adj (indicia or symbol or representative or icon or indicator) same (one or single or "same") near3 (screen or display or thread or conversation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:31
S24	27	@ad<="20020701" and (show\$3 or present\$3 or provid\$3 or display\$3) near3 (text or chat or message) with (voice or audio or audible) adj (indicia or symbol or representative or icon or indicator) with (screen or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:35

S25	1	@ad<="20020701" and (show\$3 or present\$3 or provid\$3 or display\$3) near3 (text or chat or message) with (corresponding or associated) with (voice or audio or audible) adj (indicia or symbol or representative or icon or indicator) same (screen or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:34
S26	7	@ad<="20020701" and (show\$3 or present\$3 or provid\$3 or display\$3) near3 (text or chat or message) same (corresponding or associated) with (voice or audio or audible) adj (indicia or symbol or representative or icon or indicator) same (screen or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:34
S27	27	@ad<="20020701" and (show\$3 or present\$3 or provid\$3 or display\$3) near3 (text or chat or message) with (voice or audio or audible) adj (indicia or symbol or representative or icon or indicator) with (thread or screen or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/04 13:35
S28	8	@ad<="20020701" and (PTT or (push adj to adj talk)) and (determin\$3 or check\$3 or identif\$4) with (on or online or on-line or available or availability) with (recipient or receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 13:36
S29	5	@ad<="20020701" and (PTT or push-to-talk or (push adj to adj talk)) same (message or wireless or mobile or terminal) and (determin\$3 or check\$3 or identif\$4 or detect\$3) with (on or online or on-line or available or availability) with (recipient or receiver) same message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 13:40

S30	11	@ad<="20020701" and (PTT or push-to-talk or (push adj to adj talk)) same (message or wireless or mobile or terminal) and (determin\$3 or check\$3 or identif\$4 or detect\$3) with (on or online or on-line or available or availability) same (recipient or receiver) same message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/01 13:41
S31	0	@ad<="20020701" and (forward\$3 or send\$3 or transmit\$4 or transfer\$4) with (PTT or push-to-talk or (push adj to adj talk)) near3 message same (email or e-mail or (electronic adj mail)) near3 (server or system or application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:39
S32	0	@ad<="20020701" and (PTT or push-to-talk or (push adj to adj talk)) near3 message same (email or e-mail or (electronic adj mail)) near3 (server or system or application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:39
S33	1	@ad<="20020701" and (PTT or push-to-talk or (push adj to adj talk)) near3 message same (mail or email or e-mail or (electronic adj mail)) near3 (server or system or application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:40
S34	0	@ad<="20020701" and (forward\$3 or convert\$3 or send\$3 or transfer\$4 or transmit\$4) with (PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) near3 (server or system or application or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:41

S35	1	@ad<="20020701" and (forward\$3 or convert\$3 or send\$3 or transfer\$4 or transmit\$4 or deliver\$3) same (PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) near3 (server or system or application or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:41
S36	1	@ad<="20020701" and (forward\$3 or convert\$3 or send\$3 or transfer\$4 or transmit\$4 or deliver\$3) same (PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) with (server or system or application or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:42
S37	1	@ad<="20020701" and (forward\$3 or convert\$3 or send\$3 or transfer\$4 or transmit\$4 or deliver\$3) same (PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:42
S38	2931	@ad<="20020701" and (forward\$3 or convert\$3 or send\$3 or transfer\$4 or transmit\$4 or deliver\$3) same (voice or PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:43
S39	0	@ad<="20020701" and (forward\$3 or convert\$3 or send\$3 or transfer\$4 or transmit\$4 or deliver\$3) same (voice or PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) adj (system or server) same (unavailable near3 recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:43

S40	1	@ad<="20020701" and (forward\$3 or convert\$3 or send\$3 or transfer\$4 or transmit\$4 or deliver\$3) same (voice or PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) adj (system or server) and (unavailable near3 recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:43
S41	4	@ad<="20020701" and (forward\$3 or convert\$3 or send\$3 or transfer\$4 or transmit\$4 or deliver\$3) same (voice or PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) near3 (system or server) and (unavailable near3 recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:44
S42	17	@ad<="20020701" and (forward\$3 or convert\$3 or send\$3 or transfer\$4 or transmit\$4 or deliver\$3) same (voice or PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) near3 (system or server or application or message) and (unavailable near3 recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:44
S43	0	@ad<="20020701" and (PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) near3 (system or server or application or message) and (unavailable near3 recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:54
S44	1	@ad<="20020701" and (PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) near3 (system or server or application or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:55

S45	3	@ad<="20020701" and (PTT or push-to-talk or (push adj to adj talk)) same (email or e-mail or (electronic adj mail)) near3 (system or server or application or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:55
S46	6	@ad<="20020701" and (PTT or push-to-talk or (push adj to adj talk)) same (email or e-mail or (electronic near3 (mail or message)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:56
S47	20	@ad<="20020701" and (voice or PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) near3 (system or server or application or message) and (unavailable near3 recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 16:59
S48	1	@ad<="20020701" and (voice or PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) near3 (system or server or application or message) same ((login or user) near3 (ID or identifier or information or data or password)) and (unavailable near3 recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 18:59
S49	8	@ad<="20020701" and (voice or PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) near3 (system or server or application or message) and (stor\$3 or retriev\$3 or provid\$3) with ((login or user) near3 (ID or identifier or information or data or password)) and (unavailable near3 recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 19:00

S50	8	@ad<="20020701" and (voice or PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) near3 (system or server or application or message) and (automatic\$4 or server) same (stor\$3 or retriev\$3 or provid\$3) with ((login or sender or recipient or user) near3 (ID or identifier or information or data or password)) and (unavailable near3 recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 19:07
S51	80	@ad<="20020701" and (voice or PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) near3 (system or server or application or message) and (automatic\$4 or server) same (stor\$3 or retriev\$3 or provid\$3 or us \$3) with ((login or sender or recipient or user or account) near3 (ID or identifier or information or data or password)) and (unavailable near3 (client or receiver or user or recipient or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 19:13
S52	81	@ad<="20020701" and (voice or PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) near3 (system or server or application or message) and (automatic\$4 or server) same (stor\$3 or retriev\$3 or provid\$3 or us \$3) with ((login or sender or recipient or user or email or e-mail) near3 (ID or identifier or information or data or password)) and (unavailable near3 (client or user or recipient or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 19:14

S53	72	@ad<="20020701" and (voice or PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) near3 (system or server or application or message) and (automatic\$4 or server) same (stor\$3 or retriev\$3 or provid\$3 or us\$3) with ((login or sender or recipient or user or email or e-mail) near3 (ID or identifier or information or password)) and (unavailable near3 (client or user or recipient or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 19:15
S54	29	@ad<="20020701" and (voice or PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) near3 (system or server or application or message) and (automatic\$4 or server) same (stor\$3 or retriev\$3 or provid\$3 or us\$3) with ((login or sender or recipient or user or email or e-mail) near3 (ID or identifier or information or password)) and (unavailable near3 (client or recipient or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 19:15
S55	5	@ad<="20020701" and (voice or PTT or push-to-talk or (push adj to adj talk)) with message same (email or e-mail or (electronic adj mail)) near3 (system or server or application) and (automatic\$4 or server) same (stor\$3 or retriev\$3 or provid\$3 or us\$3 or access\$3) with ((login or sender or recipient) near3 (ID or identifier or information or password)) and (unavailable near3 (client or recipient or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 19:33

S56	3	@ad<="20020701" and (email or e-mail or (electronic adj mail)) near3 (system or server or application) same (automatic\$4 or server) same (stor\$3 or retriev\$3 or provid\$3 or us\$3 or access\$3) with ((login or sender or recipient) near3 (ID or identifier or information or password)) and (unavailable near3 (client or recipient or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 19:36
S57	14	@ad<="20020701" and (email or e-mail or (electronic adj mail)) near3 (system or server or application) and (automatic \$4 or server) same (stor\$3 or retriev\$3 or provid\$3 or us\$3 or access\$3) with ((login or sender or recipient) near3 (ID or identifier or information or password)) and (unavailable near3 (client or recipient or subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/20 19:39

4/ 29/ 2009 6:11:45 PM

C:\Documents and Settings\qnguyen4\My Documents\EAST\Workspaces
\10748723_PushToTalkCommunications.wsp